

LEVEL 5 SERVICES



AFCOLS BATHROOM INSPECTION (6)




AB-DKFX - 247-AB-DKFX | Offices/Admin,29484

FRIDAY 31st October 2025

84.54 %
(82.0/97.0)
SCORE



Score by Section



0%-69%:NEED'S DETAILING | 70%-84%:NEED'S RE-WORKING | 85%-98%:MAKE CORRECTIONS NEXT SERVICING | 99%-100%:THANK YOU...

Section	Score		%
Restrooms/Locker Area 1 Male	14.0	15.0	93.3
Restroom/Locker Area 1 Female	14.0	16.0	87.5
Restroom/Locker Area 2 Male	11.0	16.0	68.8
Restroom/Locker Area 2 Female	11.0	16.0	68.8
Restroom/Locker Area 3 Male	16.0	18.0	88.9
Restroom/Locker Area 3 Female	16.0	16.0	100.0

GENERAL INFORMATION (0.0/0.0) 0.0 %

General Information

Q#	Question	Score	Response
1.	Description		247
2.	Floor		ALL

RESTROOMS/LOCKER AREA 1 MALE (14.0/15.0) 93.3 %

Restrooms/Floors

Q#	Question	Score	Response
3.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue. The first floor is usually inaccessible for cleaning. However, the door was found unlocked during this visit, allowing entry. I conducted an inspection of the two restrooms located on the first floor.	(1/1)	SATISFACTORY
4.	Fixtures/Door/Mirrors	(1/1)	SATISFACTORY
4.1.	All surfaces, within 6ft of the floor, including sinks, countertops, mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards)	(1/1)	SATISFACTORY
5.	Trash/Towel Dispensers	(1/1)	SATISFACTORY
5.1.	All trash containers to include feminine product disposal containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean	(1/1)	SATISFACTORY
6.	Toilets/Urinals	(0/1)	UNSATISFACTORY



31 Oct 25 11:20 AM

7. Sinks/Surfaces	(1/1)	SATISFACTORY
7.1. All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, and any other removable deposits.	(1/1)	YES
8. Showers/Lockers/Saunas		N/A
9. Drinking Fountains	(1/1)	SATISFACTORY
9.1. Contractor shall clean all facility drinking fountains, typically located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	(1/1)	YES
10. Re-Supply Restrooms	(1/1)	SATISFACTORY
10.1 Contractor should ensure restrooms are stocked sufficiently so any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.	(1/1)	YES
11. Walls/Partitions	(1/1)	SATISFACTORY
11.1 All partitions, within 6ft of the floor, including fixtures, partition doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other	(1/1)	YES

such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free.

12. Cleaning Frequency Schedule (CFS)

(1/1)

YES

RESTROOM/LOCKER AREA 1 FEMALE**(14.0/16.0) 87.5 %****Restrooms/Floors**

Q#	Question	Score	Response
13.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue.	(1/1)	SATISFACTORY
14.	Fixtures/Door/Mirrors	(1/1)	SATISFACTORY
14.1	All surfaces, within 6ft of the floor, including sinks, countertops, mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards)	(0/1)	-
15.	Trash/Towel Dispensers	(1/1)	SATISFACTORY
15.1	All trash containers to include feminine product disposal containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean	(0/1)	-
16.	Toilets/Urinals	(1/1)	SATISFACTORY
16.1	All surfaces, including toilets, urinals, and plumbing fixtures. Shall have a clean scent or no odor at all. Toilets, and urinals will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits.	(1/1)	SATISFACTORY
17.	Sinks/Surfaces	(1/1)	SATISFACTORY
17.1	All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, and any other removable deposits.	(1/1)	YES
18.	Showers/Lockers/Saunas		N/A
19.	Drinking Fountains	(1/1)	SATISFACTORY
19.1	Contractor shall clean all facility drinking fountains, typically located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	(1/1)	YES

20. Re-Supply Restrooms (1/1) SATISFACTORY

20.1 Contractor should ensure restrooms are stocked sufficiently so (1/1) YES
any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.

21. Walls/Partitions (1/1) SATISFACTORY

21.1 All partitions, within 6ft of the floor, including fixtures, partition (1/1) YES
doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free.

22. Cleaning Frequency Schedule (CFS) (1/1) YES

RESTROOM/LOCKER AREA 2 MALE (11.0/16.0) 68.8 %

Restrooms/Floors

Q#	Question	Score	Response
23.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue.	(1/1)	SATISFACTORY

24. Fixtures/Door/Mirrors (1/1) SATISFACTORY

24.1 All surfaces, within 6ft of the floor, including sinks, countertops, (0/1) -
mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards)

25. Trash/Towel Dispensers (1/1) SATISFACTORY

25.1 All trash containers to include feminine product disposal (0/1) -
containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean

26. Toilets/Urinals (1/1) SATISFACTORY

26.1 All surfaces, including toilets, urinals, and plumbing fixtures. (0/1)	-
. Shall have a clean scent or no odor at all. Toilets, and urinals will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits.	
27. Sinks/Surfaces (1/1)	SATISFACTORY
27.1 All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, and any other removable deposits. (0/1)	-
28. Showers/Lockers/Saunas	N/A
29. Drinking Fountains (1/1)	SATISFACTORY
29.1 Contractor shall clean all facility drinking fountains, typically (0/1)	-
. located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	
30. Re-Supply Restrooms (1/1)	SATISFACTORY
30.1 Contractor should ensure restrooms are stocked sufficiently so (1/1)	YES
. any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.	
31. Walls/Partitions (1/1)	SATISFACTORY
31.1 All partitions, within 6ft of the floor, including fixtures, partition (1/1)	YES
. doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free.	
32. Cleaning Frequency Schedule (CFS) (1/1)	YES

RESTROOM/LOCKER AREA 2 FEMALE (11.0/16.0) 68.8 %

Restrooms/Floors

Q#	Question	Score	Response
33.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue.	(1/1)	SATISFACTORY
34.	Fixtures/Door/Mirrors	(1/1)	SATISFACTORY
34.1	All surfaces, within 6ft of the floor, including sinks, countertops, mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards)	(1/1)	SATISFACTORY
35.	Trash/Towel Dispensers	(1/1)	SATISFACTORY
35.1	All trash containers to include feminine product disposal containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean	(1/1)	SATISFACTORY
36.	Toilets/Urinals	(1/1)	SATISFACTORY
36.1	All surfaces, including toilets, urinals, and plumbing fixtures. Shall have a clean scent or no odor at all. Toilets, and urinals will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits.	(0/1)	-
37.	Sinks/Surfaces	(1/1)	SATISFACTORY
37.1	All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, and any other removable deposits.	(0/1)	-
38.	Showers/Lockers/Saunas		N/A
39.	Drinking Fountains	(1/1)	SATISFACTORY
39.1	Contractor shall clean all facility drinking fountains, typically located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	(0/1)	-
40.	Re-Supply Restrooms	(1/1)	SATISFACTORY
40.1	Contractor should ensure restrooms are stocked sufficiently so any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject	(0/1)	-

0%-69%:NEED'S DETAILING | 70%-84%:NEED'S RE-WORKING | 85%-98%:MAKE CORRECTIONS NEXT SERVICING | 99%-100%:THANK YOU...

to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.

41. Walls/Partitions (1/1) SATISFACTORY

41.1 All partitions, within 6ft of the floor, including fixtures, partition doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free. (0/1) -

42. Cleaning Frequency Schedule (CFS) (1/1) YES

RESTROOM/LOCKER AREA 3 MALE (16.0/18.0) 88.9 %

Restrooms/Floors

Q#	Question	Score	Response
43.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue.	(1/1)	SATISFACTORY
44.	Fixtures/Door/Mirrors (1/1) SATISFACTORY	(1/1)	SATISFACTORY
44.1	All surfaces, within 6ft of the floor, including sinks, countertops, mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards) (1/1) SATISFACTORY	(1/1)	SATISFACTORY
45.	Trash/Towel Dispensers (1/1) SATISFACTORY	(1/1)	SATISFACTORY
45.1	All trash containers to include feminine product disposal containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean (1/1) SATISFACTORY	(1/1)	SATISFACTORY
46.	Toilets/Urinals (1/1) SATISFACTORY	(1/1)	SATISFACTORY
46.1	All surfaces, including toilets, urinals, and plumbing fixtures. Shall have a clean scent or no odor at all. Toilets, and urinals will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits. (1/1) SATISFACTORY	(1/1)	SATISFACTORY
47.	Sinks/Surfaces (1/1) SATISFACTORY	(1/1)	SATISFACTORY
47.1	All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, (0/1) -	(0/1)	-

0%-69%:NEED'S DETAILING | 70%-84%:NEED'S RE-WORKING | 85%-98%:MAKE CORRECTIONS NEXT SERVICING | 99%-100%:THANK YOU...

and any other removable deposits.		
48. Showers/Lockers/Saunas	(1/1)	SATISFACTORY
48.1 All surfaces, within 6ft of the floor in showers, shower mats, plumbing fixtures, saunas, partitions, doors, walls, stalls, stall doors, entry doors (including handle, kick plates, hand metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Showers will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits. Mirrors shall be clean and have no streaks or other removable matter. Partitions shall be smudge and stain-free. Vents (within six ft. of the floor) shall be clean. Shower fixtures shall be free from water and scale deposits, soil, streaks, and other removable matter. Walls and grout shall be free of all film, spots, and detergent buildup.	(0/1)	-
49. Drinking Fountains	(1/1)	SATISFACTORY
49.1 Contractor shall clean all facility drinking fountains, typically located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	(1/1)	YES
50. Re-Supply Restrooms	(1/1)	SATISFACTORY
50.1 Contractor should ensure restrooms are stocked sufficiently so any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.	(1/1)	YES
51. Walls/Partitions	(1/1)	SATISFACTORY
51.1 All partitions, within 6ft of the floor, including fixtures, partition doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free.	(1/1)	YES

52. Cleaning Frequency Schedule (CFS) (1/1) YES

RESTROOM/LOCKER AREA 3 FEMALE (16.0/16.0) 100.0 %

Restrooms/Floors

Q#	Question	Score	Response
53.	All floor surfaces shall be maintained in accordance with paragraph 1.1.1 and 1.1.2 by effective routine cleaning. Moveable items shall be tilted or moved to sweep and damp mop underneath. Grout on the wall and floor tiles shall be free of dirt, scum, mildew, and residue.	(1/1)	SATISFACTORY
54.	Fixtures/Door/Mirrors	(1/1)	SATISFACTORY
54.1	All surfaces, within 6ft of the floor, including sinks, countertops, mirrors, , doors, walls, stalls, stall doors, entry doors (including handle, kick plates, ventilation grates, metal guards)	(1/1)	SATISFACTORY
55.	Trash/Towel Dispensers	(1/1)	SATISFACTORY
55.1	All trash containers to include feminine product disposal containers in restrooms and locker rooms shall be emptied, trash disposed, liners replaced, and containers returned to their original locations. The Contractor shall provide and replace any obviously soiled, worn or torn plastic trash can liners. Trash receptacles shall be left clean, free of foreign matter and free of odors. Towel Dispensers are filled and wiped clean	(1/1)	SATISFACTORY
56.	Toilets/Urinals	(1/1)	SATISFACTORY
56.1	All surfaces, including toilets, urinals, and plumbing fixtures. Shall have a clean scent or no odor at all. Toilets, and urinals will be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits.	(1/1)	SATISFACTORY
57.	Sinks/Surfaces	(1/1)	SATISFACTORY
57.1	All surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Sinks and all surfaces will be free of spots, water spots, scale buildup, soap scum, odors, and any other removable deposits.	(1/1)	YES
58.	Showers/Lockers/Saunas		N/A
59.	Drinking Fountains	(1/1)	SATISFACTORY
59.1	Contractor shall clean all facility drinking fountains, typically located near or in the vicinity of restrooms and inside locker rooms. Service shall be provided at the time of restroom services. All porcelain and polished metal surfaces, including the orifices and drain, as well as the exterior surfaces of fountains, shall be cleaned and disinfected. Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.	(1/1)	YES
60.	Re-Supply Restrooms	(1/1)	SATISFACTORY
60.1	Contractor should ensure restrooms are stocked sufficiently so any provided supplies, including trash liners, toilet tissue, paper towels, and hand soap, do not run out, and all dispensers are filled without promoting	(1/1)	YES

waste at the time of service. Extra/backup supplies shall be stored in designated locations and at least one location per multi-floor facility. Each facility may have multiple designated locations, and locations are subject to change. The Contractor will need to coordinate with each facility, and it shall be a team effort with the Contractor and facility manager to determine the most appropriate location(s). Occupants shall have access to supplies and dispenser locking devices to restock restroom dispensers in between the Contractor's scheduled restroom services. If extra/backup supplies run out before the next service date, the Contractor shall provide extra supplies within two hours of notification.

61. Walls/Partitions	(1/1)	SATISFACTORY
61.1 All partitions, within 6ft of the floor, including fixtures, partition doors, walls, stalls, stall doors, doors (including handles, kick plates, metal guards), walls, and other such surfaces shall be cleaned and disinfected using a germicidal detergent. Restrooms shall have a clean scent or no odor at all. Should be without spots, water spots, scale buildup, soap scum, odors, and any other deposits. Partitions shall be smudge and stain-free.	(1/1)	YES
62. Cleaning Frequency Schedule (CFS)	(1/1)	YES

Comments & Action Plan


Restrooms/Locker Area 1 Male >> Restrooms/Floors		
5.0. (LE10604) Toilets/Urinals		Priority Medium
		Due Date 15 Nov 25
Findings	'Unsatisfactory'	Assigned To Myres, Orneisha
Action Required	The toilet bowl needs descaling.	

Declaration



Auditor
(Huanmin Jackson)

PM/APM



Location Map